WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

EP

(71) Applicant (for all designated States except MN US): RECKITT & COLMAN FRANCE [FR/FR]; 15, rue Ampère, Boîte postale 83, F-91301 Massy Cedex (FR).

7 October 1997 (07.10.97)

(71) Applicant (for MN only): RECKITT & COLMAN PRODUCTS LIMITED [GB/GB]; 67 Alma Road, Windsor, Berskhire SL4 3HD (GB).

(72) Inventors; and

97402358.2

(75) Inventors/Applicants (for US only): JOETZJER, Pascale [FR/FR]; 5, rue Cornu, F-27400 Louviers (FR). FAURE, Serge [FR/FR]; 90, rue de la Paix, F-28600 Luisant (FR).

(74) Agents: DICKSON, Elizabeth, Anne et al., Reckitt & Colman plc, Group Patents Dept., Dansom Lane, Hull HU8 7DS (GB). BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: DETERGENT COMPOSITION

(57) Abstract

A laundry detergent composition for washing delicate fabrics comprising one or more anionic, nonionic or amphoteric surfactants; a natural and/or synthetic ceramide; a silicone emulsion and, optionally, other detergent ingredients.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

Al. Albania AM Armenia AT Austria AU Australia AZ Azerbaijan BA Bosnia and Herzegovina BB Barbados BE Belgium BF Burkina Faso BC Bulgaria BJ Benin BR Brazil BY Belarus CA Canada CE Central African Republic CG Congo CH Switzerland CI Côte d'Ivoire CM Cameroon CN China CU Cuba CZ Czech Republic CE Germany CE Germany CE Cenmark CE Estonia	ES Spain FI Finland FR France GA Gabon GB United Kingdom GE Georgia GH Ghana GN Guinea GR Greece HU Hungary IE Ireland IL Israel IS Iceland IT Italy JP Japan KE Kenya KG Kyrgyzstan KP Democratic People's Republic of Korea KR Republic of Korea KZ Kazakstan LC Saint Lucia LI Liechtenstein LK Sri Lanka LR Liberia	LS Lesotho LT Lithuania LU Luxembourg LV Latvia MC Monaco MD Republic of Moldova MG Madagascar MK The former Yugoslav Republic of Macedonia ML Mali MN Mongolia MR Mauritania MW Malawi MX Mexico NE Niger NL Netherlands NO Norway NZ New Zealand PL Poland PT Portugal RO Romania RU Russian Federation SD Sudan SE Sweden SG Singapore	SI Stove SK Slove SN Sener SZ Swaz TD Chad TG Togo TJ Tajiki TM Turkr TR Turke TT Trinke UA Ukrai UG Ugane	enia akia agal ziland i o nistan ey dad and Tobago ine da States of America kistan Nam
---	---	---	--	--

WO 99/18177 PCT/GB98/02987

-1-

DETERGENT COMPOSITION

This invention relates to a laundry detergent composition which is suitable for laundering fine fabric materials such as wool, silk, nylon, polyester and the like under relatively mild washing conditions.

Laundry detergent compositions generally employ anionic surfactants as the primary detergent-active compounds, such as alkyl benzene 10 sulphonates, fatty alcohol sulphates or alkyl glycol ether sulphates. However, it has been found that a number of anionic surfactants damage the fibre structure of sensitive fabrics upon repeated washing. Fine fabric wash formulations 15 tend to contain a blend of anionic surfactants with non-ionic or amphoteric surfactants. non-ionic surfactants are intended to increase detergency. However, when sensitive woollen fabrics are washed with non-ionics, the fabrics tend to feel comparatively hard and brittle. 20 These effects can be intensified with machine washing. An addition of softening amphoteric surfactants does not completely counteract the loss of feel and, although amphoteric surfactants act as fibre-softening agents, some anionic and non-ionic surfactants reduce the softening effect 25 of the amphoteric surfactants. Also, most known softening agents which are incorporated into detergents are detrimental to cleaning performance.

There is therefore a need for a fine fibre wash formulation which can be used to wash delicate fabrics such as woven or knitted woollen fabrics and silk, which gives a good cleaning performance without having a detrimental effect on the properties of the fabric, and which ensures that the treated fabric has a soft feel.

In accordance with the present invention, there is provided a laundry detergent composition for washing delicate fabrics comprising:

- a) one or more anionic, non-ionic or amphoteric surfactants or a mixture of two or more thereof;
- b) a natural and/or synthetic ceramide;
- 15 c) a silicone; and
 - d) optionally other detergent ingredients.

Preferably, the detergent composition comprises:

- 20
- a) 2 to 60 wt % of one or more anionic, non-ionic or amphoteric surfactants or a mixture thereof;
- b) from 0.001 to 5 wt % of one or more ceramides;
 - from 0.05 to 5 wt % of a polydimethyl-siloxane; and
- optionally other detergent ingredients to 100 wt %.

It has been found that the use in the present composition of a silicone and a ceramide in combination provides a detergent with, simultaneously, a softening effect and an overall efficient cleaning performance.

Preferably, the silicone is a silicone fluid, more preferably a silicone emulsion, and most preferably a silicone micro-emulsion Examples of suitable silicones are polyalkyl or polyaryl silicones. Particularly preferred silicones are polydimethylsiloxanes, with organic groups incorporated into the basic silicone backbone, having the following structure:

15

10

5

$$\begin{array}{c|c} CH_3 & CH_3 \\ \hline \\ A-S_{i}-O & S_{i}-O \\ \hline \\ CH_3 & CH_3 \end{array} \begin{array}{c} CH_3 \\ \hline \\ S_{i}-O \\ \hline \\ CH_3 & CH_3 \end{array} \begin{array}{c} CH_3 \\ \hline \\ S_{i}-O \\ \hline \\ CH_3 & CH_3 \end{array}$$

20

25

wherein R is an amino, polyether, epoxy, hydroxyl, polyether/amino, polyether/epoxy or cyclohexyl functional group; A may be any group suitable for ending the silicone chains, for example a hydrogen, methyl or hydroxyl group; and a and b are integers, preferably between 7 and 5000.

Examples of suitable silicones are those marketed under the trade names DC 225 (produced

20

25

by Dow Corning Corporation) and Magnasoft EM 410 (produced by Witco).

The concentration of silicone in the compositions of the invention suitably lies in the range from 0.05 to 5 wt %, preferably 0.1 to 2 wt % and most preferably the silicone concentration is about 0.5 wt %.

The ceramide present in the composition of the present invention may be a natural ceramide or a synthetic ceramide, for example an N-acylsphingenine or a derivative thereof. The amide-linked fatty acids are generally characterised by a C_{16} to C_{26} , C_{30}/w -OH or C_{32}/w -OH chain. The long chain amine may be sphingosine or sphinganine or phytosphingosine.

Particularly preferred ceramides are
Bis (N-hydroxyethyl cetyl) Malanomide which is
marketed under the trade name Questamide H and
produced by Quest (this is synthetic "ceramide
2", with ceramide 2 being naturally found in
hair); Palmitado-serinate de myristyl which is
marketed under the trade name ceramide A2 and
produced by Sederma; Palmitadohexadecanediol
which is marketed under the trade name Ceramide
II and produced by Quest and a glycosphingolipid
marketed under the trade name ceramide PG5 and
produced by Seporga.

The composition of the present invention may contain only one ceramide, or, alternatively, two or more different ceramides may be present.

The concentration of ceramide in the compositions of the invention suitably lies in the range from 0.001 to 5 wt %, preferably 0.001 to 2 wt % and most preferably 0.01 to 1 wt %.

5

The desired effects of the present invention are attained by the combined actions of the silicone emulsion and the ceramide in such a detergent formulation.

10

15

The composition of the present invention further includes detergent-active compounds.

Many suitable detergent-active compounds are available and are fully described in the literature. The total amount of surfactant present in the composition of the present invention ranges from 2 to 60 wt % by weight of the total fine fabric detergent composition, preferably 5 to 40 wt %, and most preferably 10 to 20 wt %.

20

25

30

The choice of anionic surfactant is not limited and any anionic surfactant suitable for use in a laundry composition may be used. Examples of suitable anionic surfactants are alkylbenzene sulphonates, particularly linear alkylbenzene sulphonates having an alkyl chain length of C_8 - C_{15} ; primary and secondary alkyl sulphates, particularly C_8 - C_{15} primary alkyl sulphates; alkyl ether sulphates; olefin sulphonates; alkyl xylene sulphonates; dialkyl sulphosuccinates and fatty acid ester

sulphonates. Sodium salts are generally preferred.

Particularly preferred anionic surfactants are sodium lauryl ether sulphate, which is available under the trade name EMPICOL ESC3 from Albright & Wilson; sodium lauryl sulphate, which is available under the trade name EMPICOL LX from Albright & Wilson; α-olefine sulphonate, which is available under the trade name RHODACAL A 246 L from Rhône-Poulenc and disodium lauryl sulphonsuccinate, which is available under the trade name REWOPOL 5B F12 from Witco.

The anionic surfactants are desirably present in amounts of 2 to 30 wt %, preferably 5 to 20 wt %, and most suitably the anionic surfactant concentration is about 10 wt %.

The choice of non-ionic surfactant is also not limited and any non-ionic surfactant suitable for use in a laundry composition may be used. Examples of suitable non-ionic surfactants are primary and secondary alcohol ethoxylates, especially the C₈ - C₂₀ aliphatic alcohols ethoxylated with an average of from 1 to 20 moles of ethylene oxide per mole of alcohol, and most particularly the C₁₀ - C₁₅ primary and secondary aliphatic alcohols ethoxylated with an average of from 1 to 10 moles of ethylene oxide per mole of alcohol. Non-ethoxylated non-ionic surfactants include alkyl polyglycosides, glycerol

monoethers, alkanol amides and polyhdroxyamides (glucamide).

Particularly preferred non-ionic surfactants

are Coceth-6 (PEG ether of coccnut alcohol);

Coceth-10 (PEG ether of coconut alcohol);

Laureth-6 (PEG ether of lauryl alcohol);

Lauramide DEA, which is available under the trade name EMPILAN 26224 from Albright & Wilson; and lauryl polyglucoside, which is available under the trade the trade name PLANTEREN 1210CS/UP from Henkel.

The non-ionic surfactants are desirably present in amount of 0 to 20 wt %, preferably 0.5 to 10 wt %, and most suitably about 1 to 2 wt %.

Particularly preferred amphoteric surfactants are cocoamidopropylbetaine, such as that available under the trade name EMPIGEN from Albright & Wilson and amine oxides, such as lauramine oxide, which is available under the trade name TEGAMINE OXIDE W from Goldsch.

The amphoteric surfactants are desirably present in amounts of $0.5\ \text{tc}$ 20 wt % and preferably $0.5\ \text{to}$ 10 wt %.

In addition to the above specified ingredients and water, the compositions of the present invention can optionally contain relatively minor amounts of the usual types of non-surfactant auxiliary ingredients as are commonly employed in conventional laundry detergents, for example inorganic salts such as sodium carbonate, sodium

sulphate or sodium silicate (where the composition is a powder); anti-redeposition agents such as cellulosic polymers; preservatives; optical brighteners; pearlescing agents; colourants; viscosifying agents such as sodium chloride and pH regulators such as citric acid. This list is not intended to be exhaustive.

Detergent compositions of the invention may be of any suitable form, for example powders or granules, liquids or gels. The manner in which the detergent compositions are prepared or formulated is not particularly critical and such may be prepared by methods well known to those skilled in the art.

15

20

25

30

5

The detergent compositions of the present invention are especially well suited and beneficial for the laundering under relatively mild washing conditions (e.g. mild or gentle machine agitation or hand washing and at low or cold wash water temperature) of fine fabric materials such as knitted fabrics of wool and silk, nylon and polyester. In addition to an excellent washing result, these fabrics do not become hard, but instead retain their natural softness, not only with hand washing but also with machine washing.

In order that the invention may be more fully understood, it will now be described with reference to the following examples, in which all percentages are on a weight basis.

Example 1

5	Component	wt%	Nature	Trade name
	α-olefine Sulphonate	5.2	Anionic surfactant	RHODACAL A 246 L (RP)
10	Sodium Lauryl Sulphate	8.3	Anionic surfactant	EMPICOL LX (A&W)
	Lauyl Polyglucoside	1.0	Non-ionic Surfactant	PLANTEREN 1200CS/UP (HENKEL)
	Lauramide DEA	0.75	Non-ionic Surfactant	EMIPLAN 26224 (A&W)
15	Cocoamidopropyl betaine	2.5	Amphoteric surfactant	EMPIGEN (A&W)
	Amino-functional silicone emulsion	1.1	silicone	MAGNASOFT Em. 410 (Witco)
20	Palmitadohexadenediol	0.9	Ceramide	CERAMIDES II (Quest)
20	Citric Acid	0.05	pH regulator	
	Preservative	0.05		
25	Dye	0.01		
	Fragrance	0.20		
	Deionised Water	qsp 100		

Example 2

Component	wt%	Nature	Trade name
Sodium Lauryl Ether Sulphate	3.5	Anionic surfactant	EMPICOL ESC (A&W)
Sodium Laury! Sulphate	4.3	Anionic surfactant	EMPICOL LX (A&W)
Coceth-6	1.6	Non-ionic surfactant	REWOPAL LA (Witco)
Lauramide DEA	0.5	Non-ionic surfactant	EMIPLAN 2622 (A&W)
Lauramine oxide	2.5	Amphoteric surfactant	TEGAMINE OXIDE W (Goldsch.)
Amino-functional silicone emulsion	0.6	silicone	MAGNASOFT Em. 410 (Witco)
Bishydroxyethyl biscetyl malonamide	0.5	Ceramide	QUESTAMIDE F
Citric Acid	0.05	pH regulator	
Sodium chloride	2.0		
Preservative	0.05		
Dye	0.01		

Fragrance	0.2	
Deionised Water	qsp 100	

Example 3

10	Component	wt%	Nature	Trade name
	Disoduium Lauryl sulphosuccinate	4.2	Anionic surfactant	REWOPOL SB F12 (Witco)
5	Sodium Lauryl Sulphate	6.6	Anionic surfactant	EMPICOL LX (A&W)
	Coceth-10	1.4	Non-ionic surfactant	REWOPAL LA
.0	Cocamidopropyl betaine	2.9	Amphoteric surfactant	EMPIGEN (A&W)
	Cyclohexylamino-functional silicone emulsion	1.5	silicone	FINISH CT110 (Wacker)
	Palmitadohexadenediol	1.0	Ceramide	CERAMIDES II (Quest)
5	Palmitamido serinate de myristyl	0.5	Ceramide	CERAMIDE A2 (Seporga)
	Citric Acid	0.05	pH regulator	
	Preservative	0.05		

Dye	0.01	
Fragrance	0.2	
Deionised Water	qsp 100	

Example 4

	Component	wt%	Nature	Trade name
15	Sodium Alkyl Benzene sulphonate	8.2	Anionic surfactant	REWOPOL SB F12 (Witco)
	Sodium Lauryl Ether Sulphate	8.6	Anionic surfactant	EMPICOL LX (A&W)
20	Lauryl Polyglucoside	2.6	Non-ionic Surfactant	PLANTEREN 1200CS UP (HENKEL)
	Lauramide DEA	0.75	Non-ionic Surfactant	EMIPLAN 26224 (A&W)
25	Lauramine oxide	2.3	Amphoteric surfactant	TEGAMINE OXIDE W (Goldsch.)
- 8	Amino-functional silicone emulsion	4.5	silicone	DC 225 (Witco)

2.25	Ceramide	QUESTAMIDE I
		(Quest)
2.5	Ceramide	CERAMIDE PG. (Seporga)
0.05	pH regulator	(Seporga)
0.05		
0.01		
0.2		
qsp 100		
	0.05 0.05 0.01	2.5 Ceramide 0.05 pH regulator 0.05 0.01

Example 5

A fine fabric wash detergent composition was prepared from the following ingredients:

20 Component wt% Nature Trade name Sodium Alkyl Benzene 15.5 Anionic surfactant REWOPOL SB sulphonate F12 (Witco) Coceth-6 5.0 Non-ionic surfactant REWOPAL LA 6 25 (Witco) Sodium Cocoate 3.0 Soap NORFOX COCO POWDER (Norman) Sodium silicoaluminate 23.0 Builder WESSALITH S (Zeolite) (Degussa)

	1	Builder	
Sodium carbonate	5.0	Builder	
Sodium bicarbonate	15.0	Builder	
Sodium sulphate	15.0	Filler	
Cychlohexylamino-functional ilicone emulsion	1.5	Silicone	FINISH CT110 (Wacker)
dlycosphingolipids	2.5	Ceramide	CERAMIDE PG5 (Seporga)
odium citrate	10.0		(Seporga)
ragrance	0.2		
/ater	qsp 100		
i -	cychlohexylamino-functional discone emulsion lycosphingolipids odium citrate	Cychlohexylamino-functional 1.5 Cychlohexylamino-functional 1.	codium sulphate 15.0 Filler Cychlohexylamino-functional 1.5 Silicone Cychlohexylamino-functional 1.5 Ceramide Cychlohexylamino-functional 1.5 Ceramide

In order to demonstrate the desired effects of the present invention, the following test was performed.

Wool fibres of diameter 0.1 - 0.14 mm were evaluated for elasticity using a Rheometrics RSA 2 Solids analyser fitted with a monofilament geometry to give a sample length of 24 mm. The test used was a steady strain rate test using a constant strain rate of 0.0001 s⁻¹ with the temperature controlled at 20°C. This allowed measurement of Youngs modulus for a strain

WO 99/18177 PCT/GB98/02987

- 15 -

between 2 and 3% in the elastic region of the wool fibre which is equal to the elastic modules G^1 . Values of G^1 are given in the table below:

		Elasticity.
5	Wool without treatment	9.66 x 10° Pa/%
	Wool washed 3 times with water only	3.23 x 10° Pa/%
	Wool washed 3 times with detergent	
	formulation containing a ceramide	3.73 x 10° Pa/%
	Wool washed 3 times with detergent	
	formulation containing a ceramide plus a	6.79 x 10' Pa/%
10	silicone emulsion	

From the results it can be seen that a formulation containing a ceramide and a silicone emulsion significantly increased the elasticity of the wool fibre compared to washing in water alone or with a formulation containing ceramide alone.

Furthermore, further tests carried out on different fabrics showed a noticeable improvement of the softness of each fabric when the fabric was washed in a detergent formulation containing ceramide and silicone emulsion compared to washing in water alone or in a standard detergent formulation which did not contain a silicone derivative or a ceramide. Derived from cosmetics technology, it would appear that the ceramides penetrate into the fibres to restore both their strength and volume. In addition, the silicone appears to impart a softness to all types of textiles.

For example, the following test was performed to demonstrate the improved softness of fabrics washed in a detergent formulation in accordance with the present invention.

5

Four groups of wool or wool/acrylic fabrics were hand-washed in:

Formulation 1: the formulation in accordance with Example 3, as described previously;

10

Formulation 2: the formulation of Example 3 minus any ceramide or silicone emulsion;

Formulation 3: the formulation in accordance with Example 5, as described previously; and

15

Formulation 4: the formulation of Example 5 minus any ceramide or silicone emulsion.

The fabrics were hand-washed with 35 ml of the detergent diluted in 5 litres of water (middle hardness water) at 30°C and then rinsed twice in 5 litres of cold water.

After 3 washes, panellists were asked to compare the softness of the washed fabrics. The figures given in the table below indicate the preceived softness of the fabrics as compared to the softness of the fabrics prior to washing.

- 17 -

Fabric	Formulation 1 vs	Formulation 2	Formulation 3 vs Formulation 4	
	Formulation 1	Formulation 2	Formulation 3	Formulation 4
Wool	90%	10%	75%	25%
Wool/Acrylic	75%	25%	80€	20%

CLAIMS

- A laundry detergent composition for washing delicate fabrics comprising:
- 5 a) one or more anionic, non-ionic or amphoteric surfactants or a mixture of two or more thereof;
 - b) a natural and/or synthetic ceramide;
- c) a silicone; and
 - d) optionally other detergent ingredients.
- 2. A detergent composition according to Claim 1, wherein the silicone is an amino-functional silicone.
- A detergent composition according to Claim 2, wherein the silicone is a microemulsion of a polydimethylsiloxane.
 - 4. A detergent composition according to claim 1, comprising:
- a) 2 to 60 wt % of one or more anionic, non-ionic
 25 or amphoteric surfactants or a mixture of two or more thereof;
 - b) from 0.001 to 5 wt % of one or more ceramides;
- 30 c) from 0.05 to 5 wt % of a polydimethyl-siloxane; and

WO 99/18177 PCT/GB98/02987

- 19 -

- d) optionally other detergent ingredients to 100 wt %.
- 5. A detergent composition according to any of claims 1 to 4, wherein the ceramide is selected from Bis (N-hydoxyethyl cetyl) Malonamide; Palmitadohexadecanediol; Palmitado-serinate de myristyl and glycosphingolipids.
- 10 6. A process for laundering fabric materials comprising the steps of immersing the material, with at least mild agitation, in a detergent composition comprising:
- a) one or more anionic, nonionic or amphoteric surfactants or a mixture of two or more thereof;
 - b) a natural and/or synthetic ceramide;
- 20 c) a silicone; and
 - d) optionally other detergent ingredients.
- A process for laundering fabric materials comprising the steps of immersing the material, with at least mild agitation, in a detergent composition comprising:
 - a) 2 to 60 wt % of one or more anionic, non-ionic or amphoteric surfactants or a mixture of two or more thereof.

- b) from 0.001 to 5 % of one or more ceramides;
- c) from 0.05 to 5 wt % of an aminopolydimethyl siloxane; and
- 5 d) optionally other detergent ingredients to 100 wt %.
- 8. A process according to Claim 6 or 7, wherein the fabric material laundered thereby is a silk,nylon, polyester or wool fabric material.

20

INTERNATIONAL SEARCH REPORT

Inter nal Application No PCT/GB 98/02987

			PC1/GB 98/02987
IPC 6	SIFICATION OF SUBJECT MATTER C11D1/52 C11D3/37		
According	to International Patent Classification (IPC) or to both national c	describe at	
	S SEARCHED	classification and IPC	
Minimum d	documentation searched (classification system followed by clas-	ssification symbols)	
IPC 6	C11D A61K	, , , , , , , , , , , , , , , , , , ,	
Document	ation searched other than minimum documentation to the exter	nt that such documents are includ	led in the fields searched
Electronic	database		
Ciodionic	data base consulted during the international search (name of c	data base and, where practical, s	earch terms used)
	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of	the relevant passages	Relevant to claim No.
A	"PSEUDOCERAMIDES IN CONSUMER RESEARCH DISCLOSURE,		1,6,8
	no. 394, February 1997, page 9 XP000698514 see the whole document	96	
_			
A	DATABASE WPI Section Ch, Week 9013 Derwent Publications 1td Long	ada an	1,4,6-8
	Derwent Publications Ltd., Lon Class D21, AN 90-096016 XP002089065	,	
	& JP 02 048520 A (POLA KAESI K , 19 February 1990 see abstract	COGYO KK)	
A		£	
^	US 4 639 321 A (BARRAT CHRISTI 27 January 1987 see claims 1,2; example 1	AN R ET AL)	1,2,4, 6-8
l		-/	
	er documents are listed in the continuation of box C.	X Patent family mer	nbers are listed in annex.
	egories of cited documents :	"T" later document publish	ed after the international filing date
COLIDIGA	nt defining the general state of the art which is not pred to be of particular relevance of the international	cited to understand the invention	t in conflict with the application but e principle or theory underlying the
L" documen which is	it which may throw doubts on priority claim(s) or cited to establish the publication date of another or other special reason (as specified)	involve an inventive et	relevance; the claimed invention novel or cannot be considered to ep when the document is taken alone relevance; the claimed invention
O" documer other m	nt referring to an oral disclosure, use, exhibition or eans	document is combined	on being obvious to a person skilled
	at published prior to the international filing date but on the priority date claimed	in the art. "&" document member of the	•
ate of the ac	ctual completion of the international search		nternational search report
	January 1999	15/01/199	9
lame and ma	aiting address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	Authorized officer	
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Saunders	т

INTERNATIONAL SEARCH REPORT

Inter nat Application No PCT/GB 98/02987

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/GB 98/02987
Category °	Citation of document, with indication, where appropriate, of the relevant passages	
	appropriate, or the relevant passages	Relevant to claim No.
A	US 5 075 403 A (KIRK JAMES R) 24 December 1991 see column 1, line 55 - line 60; claim 1;	1-3,6,8
	example 8	

INTERNATIONAL SEARCH REPORT

information on patent family members

inter hal Application No PCT/GB 98/02987

_		7 7 7 45 307 02307	
Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4639321 A	27-01-1987	NONE	
US 5075403 A	24-12-1991	FR 2648821 A EP 0404698 A JP 3095228 A US 5147578 A	28-12-1990 27-12-1990 19-04-1991 15-09-1992

Form PCT/ISA/210 (peternt farmily annex) (July 1992)

ļ.				
				.11
		professional and the second		
N.				-37
				^4
K.		garage and the second s		
5 7 3-				
\$. \$1.				
ari ari			$\frac{\partial h}{\partial x_i} = \frac{\partial h}{\partial x_i} \frac{\partial h}{\partial x_i$	
			en e	
•		$\frac{1}{2} \sum_{i \in \mathcal{A}_i} \frac{1}{2} \sum_{i \in \mathcal{A}_$		
į.				
k				
•				
je e				
			Section of the section of the	
				vi nga
K-				
THE STATE OF THE S		i de la compania de La compania de la co		
à:				
*				
1				
d.				
1				
44,				
4.				
) 			A part of the second of	
‡ g-₹				
				4.5
<u>-</u>	and the second s	and the second s	en periode de la composition della composition d	
				. *
F _C (**)			and the state of t	
Ĺ				D
				i.
Ĺ				
4		and the second s		5
,		The second section of the second		